


OLIVE ACOUSTIC SERIES

ACOUSTIC LIGHTING



OLIVE 20




DIMENSIONS

Ø800
 Ø800 x H:200 mm
 Light source
 Ø788x200 mm

Ø1000
 Ø1000 x H:200 mm
 Light source
 Ø988x200 mm

Ø1200
 Ø1200 x H:200 mm
 Light source
 Ø1188x200 mm

PROFILE



POWER*

23 W

*mt

LIGHT FLUX*

2300 lm

*mt

COLOR TEMPERATURE

2700K 3000K 5000K

CRI

80 CRI/90 CRI

BEAMWIDTH



Direct

Direct/Indirect

CONTROL TYPES

On/Off

DALI

DIFFUSORS

Opal

Micro Prismatic

BODY COLORS

Black

Gray

White


Color by RAL

ACOUSTIC COLORS


Natural/Mandarin Colors

Natural Colors


MOUNTING TYPES




Rod Pendant




Multi-Point Pendant



Single-Point Pendant





Spacer Surface



Direct Spacer


*Driver:







OLIVE 20



DIMENSIONS

Ø800	Ø1000	Ø1200
Ø800 x H:200 mm	Ø1000 x H:200 mm	Ø1200 x H:200 mm
Light source Ø788x200 mm	Light source Ø988x200 mm	Light source Ø1188x200 mm

PROFILE



POWER*

23 W

*mt

LIGHT FLUX*

2300 lm

*mt

COLOR TEMPERATURE

2700K 3000K 5000K

CRI

80 CRI/90 CRI

BEAMWIDTH



CONTROL TYPES

On/Off DALI

DIFFUSORS

Opal Micro Prismatic


BODY COLORS

Black Gray
White Color by RAL


ACOUSTIC COLORS


Natural/Mandarin Colors Natural Colors

MOUNTING TYPES




*Driver: [Icon]







OLIVE 30



Ø800

Ø800 x H:200 mm

Light source
Ø788x200 mm

Ø1000

Ø1000 x H:200 mm

Light source
Ø988x200 mm


Ø1200

Ø1200 x H:200 mm

Light source
Ø1188x200 mm

DIMENSIONS

PROFILE



POWER*

23 W

*mt

LIGHT FLUX*

2300 lm

*mt


COLOR TEMPERATURE

2700K 3000K 5000K

CRI

80 CRI/90 CRI

BEAMWIDTH



Direct

Direct/Indirect

CONTROL TYPES

On/Off

DALI

DIFFUSORS

Opal

Micro Prismatic

BODY COLORS

Black

Gray

White


Color by RAL

ACOUSTIC COLORS


Natural/Mandarin Colors

Natural Colors


MOUNTING TYPES




Rod Pendant




Multi-Point Pendant



Single-Point Pendant





Spacer Surface



Direct Spacer

*Driver:











Acoustic Panel Colors


MANDARIN




PLC05



PLC10




PLC12




PLC13



PLC16




PLC17



PLC18



PLC22




PLC23



PLC25


NATURALS




PLN01




PLN02



PLN03



PLN04



PLN06